
Hemlock Documentation

Release 0.1.5

Charlie Lewis

October 17, 2013

CONTENTS

Contents:

HEMLOCK PACKAGE

1.1 hemlock Module

1.2 hemlock_options_parser Module

```
class hemlock.hemlock_options_parser.PassThroughOptionParser (usage=None,      op-  
                                                                tion_list=None,  
                                                                option_class=<class  
                                                                optparse.Option  
                                                                at      0x1e9a940>,  
                                                                version=None,  con-  
                                                                flict_handler='error',  
                                                                description=None,  
                                                                formatter=None,  
                                                                add_help_option=True,  
                                                                prog=None,      epi-  
                                                                log=None)
```

Bases: `optparse.OptionParser`

An unknown option pass-through implementation of `OptionParser`.

When unknown arguments are encountered, bundle with `largs` and try again, until `rargs` is depleted.

`sys.exit(status)` will still be called if a known argument is passed incorrectly (e.g. missing arguments or bad argument types, etc.)

1.3 hemlock_scheduler Module

1.4 test_hemlock Module

1.5 Subpackages

1.5.1 clients Package

hemlock_base Module

hemlock_debugger Module

This module is used for running a debugger across all modules in Hemlock.

Create on 28 August 2013 @author: Charlie Lewis

class hemlock.clients.hemlock_debugger.**Hemlock_Debugger**

This class is responsible for printing out debug statements as well as write them to file.

debug (*debug*, *string*)

Prints and logs all debug statements.

Parameters

- **debug** – instance of Hemlock_Debugger
- **string** – stringified version of whatever is being debugged.

hemlock_runner Module

hfs Module

hfs_old Module

hhbase Module

hhdfs Module

hmongo Module

hmysql Module

hredis Module

hrest Module

hstream_odd Module

Subpackages

file_types Package

hcsv Module

hdoc Module

class `hemlock.clients.file_types.hdoc.Hdoc`

hgeneric Module**hjson Module**

class `hemlock.clients.file_types.hjson.Hjson`

hpcap Module**hpdf Module****hppt Module**

class `hemlock.clients.file_types.hppt.Hppt`

htext Module**hxls Module****hxml Module**

class `hemlock.clients.file_types.hxml.Hxml`

1.5.2 load_scripts Package

csv_to_mysql Module**csv_to_redis_hash Module****doc_to_mongo Module**

1.5.3 www Package

hemlock_web Module

INDICES AND TABLES

- *genindex*
- *modindex*
- *search*

PYTHON MODULE INDEX

h

hemlock.clients.file_types.hdoc, ??
hemlock.clients.file_types.hjson, ??
hemlock.clients.file_types.hppt, ??
hemlock.clients.file_types.hxml, ??
hemlock.clients.hemlock_debugger, ??
hemlock.clients.hhbase, ??
hemlock.hemlock_options_parser, ??